


AD634310




Carnegie Institute of Technology

Pittsburgh 13, Pennsylvania

CLEARINGHOUSE FOR FEDERAL SCIENTIFIC AND TECHNICAL INFORMATION			
Hardcopy	Microfilm		
\$2.00	\$.50	28 pp	72
ARCHIVE COPY			

DDC
RECEIVED
JUN 27 1966
C



GRADUATE SCHOOL of INDUSTRIAL ADMINISTRATION

William Larimer Mellon, Founder

Management Sciences Research Report No. 73

OPERATIONS RESEARCH IN THE DESIGN
OF MANAGEMENT INFORMATION SYSTEMS*

by

Charles H. Kriebel

April, 1966

*Presented at the Operations Research Symposium, Technical Association of the Pulp and Paper Industry, Philadelphia, Pennsylvania, March 28-30, 1966.

This report was prepared as part of the activities of the Management Sciences Research Group, Carnegie Institute of Technology, under Contract NONR 760(24), NR 047-048 with the U. S. Office of Naval Research and under a Ford Foundation Grant. Reproduction in whole or in part is permitted for any purpose of the U. S. Government.

MANAGEMENT INFORMATION SYSTEMS PROJECT
GRADUATE SCHOOL OF INDUSTRIAL ADMINISTRATION
CARNEGIE INSTITUTE OF TECHNOLOGY
PITTSBURGH, PENNSYLVANIA 15213

1. Introduction

A useful starting reference for discussion of a topic which exhibits some ambiguity is a clear definition of terminology. To this end, a management information system can be described as:


The combination of human and (typically computer-based) capital resources which results in the collection, storage, retrieval, communication, and use of data for the purpose of efficient management of operations in an organization.

In this context it is essential to distinguish between usage of the terms "data" and "information." Data are facts or inputs to the system--the reports or images of the activities of an organization--which are collected and stored. Information is the intelligence or system output which results from the conversion of data into a "product" which enables management to take action appropriate within a particular frame of reference. For example, an item of data, such as an employee's social security number, may become information when provided in response to a particular inquiry which facilitates the execution of a decision. Management information systems, therefore, include consideration not only of data processing activities but of decision-making and control processes, as well.

The basic operating cycle in management information processing is outlined in Figure 1. As indicated in the diagram, the output of the decision and control process functions within a management information system are "planned states" of the world. The "actual states" which result in the physical environment of the organization are the consequence of these planned inputs and exogenous factors which are not directly controlled by management. Observations recorded on these actual states provide "data input" to the data processing function of the system, which in turn provides

Figure I

BASIC OPERATING CYCLE IN MANAGEMENT INFORMATION PROCESSING



"updated information" for decision-making and control; and so on.


The design of management information systems is concerned with the identification and detailed specification of the information and data processing resources required by an organization for decision-making and control. These considerations can be made more explicit by reference to a specific example, such as the system illustrated in Figure 2.

Figure 2 illustrates an example of a management information system that might be employed in a manufacturing firm for servicing order processing, production and inventory control functions. The physical environment of the organization is represented in the diagram by the three hexagonal blocks labeled: "General Accounting," "Factory Shops", and "Product Engineering." Exogenous data inputs to the system are given as new sales orders and aggregate economic statistics. After data editing, incoming orders are posted to both customer and product history files. Verification of customer credit on new sales orders is performed by General Accounting for postings in the customer history file. This file then provides inputs on outstanding sales orders to the inventory and delivery processing functions which, upon shipment of an order, notify accounting for customer billing and posting of payment when received.

The product history and economic data files provide inputs to the demand forecasting function which, in turn, provides sales forecast inputs to an aggregate planning decision model and the product development engineering function. In the example system, we have assumed that the former decisions are accomplished through a linear program (labeled "LP Model") which serves as the operating decision system. (In another context this aggregate decision system might correspond to a management planning committee,

Figure 2

MANAGEMENT INFORMATION SYSTEM EXAMPLE FOR A MANUFACTURING FIRM



which establishes target levels of operation, such as quarterly or monthly production volumes.) Output decisions from the linear programming subsystem--say, monthly production, inventory, and work force levels--are subsequently extended by the "configuration data processor" into parts inventories (bill-of-material explosions) and daily shift manning requirements. Physical resources are then allocated on an individual basis to meet these requirements and dispatched to the factory shops. Actual states which obtain in the plant environment are monitored (either continuously or periodically) as a basis for schedule and inventory control, and detailed plans are modified accordingly.

A few comments are worth noting regarding the oversimplified management information system example of Figure 2. To begin with, the principal decision-making functions (or sub-programs) in the system include the blocks labeled "LP model" and "resource allocation programs." Similarly, control functions are represented primarily by feedback flow-lines, and key data processing activities are otherwise apparent. However, in each case the blocks indicated require further detailing to completely specify the system design; for example, the individual constraints of the linear program, the organization of the respective data files, the elements in the system monitoring factory operations, and so on.* To complete this detailed specification of the design the components of decision making, data processing, and control would again appear in each of the sub-systems--but on a more microscopic level. Thus, the design of management information

* For example, cf. Hess and Kirkland [29b] for an illustrative system design of an integrated management information and process control system in a steel mill.

systems involves the identification and specification of decision, data processing, and control functions at all levels in the hierarchical structure of the system.

A second observation regarding the information system example is the fact that nothing has been said concerning electronic computers, either within the diagram or otherwise. Clearly, as indicated above, before the system design is determined completely the physical equipment "hardware" and "software" must be specified for executing data processing functions and the like, however, the computer is incidental only as a capital resource alternative. That is, the computer is a tool which may contribute to the effectiveness of a management information system design, but it is not an essential consideration for all designs. This leads to a related consideration which is often overlooked in practice: data processing systems vis-a-vis management information systems. Data processing is an essential element in the design of management information systems but it is only one of several considerations involved. While an efficient data processing system is a necessary requirement for effective management information, the latter does not automatically follow from the former.

A final observation regarding the management information system example concerns approaches within the design process for determining the necessary detailed specifications. In this regard, we come to the basic objective of this discussion which is to illustrate how the techniques of operations research have been and can be employed to advantage in systems design. For example, referring to Figure 2, recall we incorporated operations research directly in the design of one of the major sub-systems for decision making,

viz., the "LP model". In a similar fashion we might have included the specification of OR within the control process functions, such as implementing PERT (program evaluation and review technique) within the block labeled "allocation controller." Comparable opportunities for the application of operations research to the specification of each of the remaining blocks in the diagram could be identified as well. Rather than outline these opportunities within the specific (and limited) context of this system example, however, I would like to broaden the discussion framework and review some of the available literature employing formal models for the study and design of management information systems. All of the references cited in this review are listed alphabetically in the bibliography appending the discussion. Although this bibliography is not an exhaustive listing, it should serve as a representative introduction to the field.*

In the next section we survey formal analyses of problems in the design of data processing operations. These studies are primarily concerned with the preparation, classification and coding of input data; organization and planning of computer processing operations; data selection and retrieval;

* In the course of this literature search it became necessary to omit certain fields from consideration. One important field that was intentionally excluded is psychology, including the areas of artificial intelligence [59], small group research [57], and applications of information theory in behavioral research [1, 4, 40]. Although the present status of this research appears of only indirect relevance to management information systems design, it is clear this situation will change in the future.

and the evaluation of data processing systems. In the section following, models that have been proposed for the study and design of management information systems are discussed. For the most part, this research views the data processing function as one of several components in the total systems design. Although simulation has been the principal approach in this research, it is argued that more mathematical analysis of operating systems can and should be included in the development of these models.

2. Mathematical Models of Data Processing Problems

Perhaps the most apparent initial focus of consideration in the design of management information systems is the data processing activity itself. For present purposes, research on data processing design can be partitioned into activities which are independent of or dependent upon the existence of an electronic computer at the heart of the system. In the former case, library scientists and others have been concerned with the basic issues of indexing, coding, and classifying documents for their efficient retrieval, cf. [14, 20, 35, 53, 72]. It has been suggested by some [25], that a statistical analysis of the descriptors or key-words used to classify documents could provide parameters which in turn would specify the organization of the file system used to store the records, for example, as outlined in Figure 3. Mathematical analysis of the hierarchical structure in data files to determine its organization has been proposed in other contexts as well, [15, 31, 73]. For instance, the precedence relations that exist between detail parts and sub-assemblies in production and inventory operations have been recognized as factors whose data elements can be described in terms of simple matrix relations [10, 43, 47]. Liberman

Figure 3

SAMPLE MODEL FOR FILE ORGANIZATION

Source: R. M. Hayes, "Mathematical Models for Information Retrieval", p. 268-298, in P. L. Garvin (ed), Natural Language and the Computer (McGraw-Hill, 1963)

Problem:

Measure of the degree of association, relevancy, and the closeness of terms or documents.

Definitions:

Let elements a_{ij} of an $(n \times m)$ "association" matrix assume values either 1 or zero depending on whether the row description (or point-term) i has been assigned to the column document j . Let A_j represent the j -th column of the matrix $[a_{ij}]$, and $N(A_j)$ represent the number of ones in column A_j

Association Model:

$R(A_j \cdot A_k)$ as a measure of the correlation between columns (documents) is computed from the sum of the products of the differences of each element from average values for its columns, that is,

$$R(A_j \cdot A_k) = \sum_{i=1}^n (a_{ji} - \bar{A}_j) (a_{ki} - \bar{A}_k).$$

and Homer [46, 32] have expanded these simple matrix models to include the identification of data relationships between functional decision-making groups within organizations and have developed an "integrated data system model" for the firm. Comparable models have also been proposed to describe business data processing operations within the computer hardware, [65, 74].

Lombardi [48, 50] has argued that the introduction of automatic data processing capability into business information systems has altered the character of considerations for file organization and design, and he has proposed a computer programming language intended to overcome "traditional" shortcomings, [52]. Clearly, once the computer is specified as an integral component in the data processing function, problems peculiar to its operation must be acknowledged within the design. Among computer data processing problems of importance are file processing procedures [41, 42, 51], programmed file operations [11, 56], sorting and addressing for internal and bulk storage [78, 27, 60], and systems equipment design [69]. This latter consideration includes specification of peripheral and input-output characteristics of the equipment [9, 18, 21], internal storage requirements [12], and the basic design configuration [2, 13, 71]. The recent development of time-sharing modes of operation has expanded the variety of system design alternatives [34, 58, 64] and also the basic associations among users of the system [63, 64]. Two examples of models proposed for computer data processing design are summarized in Figures 4 and 5.

The evaluation of specific equipment alternatives becomes substantially simplified if data processing requirements have been made precise

Figure 4

SAMPLE MODEL FOR FILE DATA PROCESSING

Source: R. H. Day, "On Optimal Extracting From a Multiple File Data Storage System: An Application of Integer Programming," Operations Research (May-June 1965), p. 482-493.

Definitions:

Suppose there exist m -files $(F_1, \dots, F_j, \dots, F_m)$ from which data may be extracted, and k -requests $(R_1, \dots, R_i, \dots, R_k)$ for data from the system.

Let $a_{ij} = 1$ if request R_i can be satisfied by searching file F_j
 $= 0$ otherwise.

Let t_j be the length of file F_j , for $j=1, 2, \dots, m$.

Let the decision variable x_j be equal to either 1 or 0, depending on whether file F_j is or is not searched.

Model:

Minimize $\lambda = \sum_{j=1}^m t_j x_j$ (total tape search time)

Subject to:

$$\sum_{j=1}^n a_{ij} x_j \geq 1 \quad (\text{each request must be satisfied})$$

for $i=1, 2, \dots, k$

x_j be a non-negative integer, for $j=1, 2, \dots, m$

Figure 5

SAMPLE MODEL FOR COMPUTER STORAGE BUFFER DESIGN

Source: I. Delgalris and G. Davison, "Storage Requirements for a Data Exchange," IBM Systems Journal (3, 1; 1964), p. 2-13.

Problem:

To determine the input/output buffer storage requirements of the data exchange used to connect the communication network and central processor in a real-time system.

Definitions:

Let $f(X)$ denote the probability of a message of length X arriving; and $h(Y)$ denote the probability of using Y blocks of storage when the line utilization is p , for example, if the block size is equal to 1 and storage is reserved for the message until transmission has been completed and the message removed from the buffer, then

$$h(Y) = \begin{cases} 1 - p & \text{for } Y=0 \\ p Y f(Y) / \sum_X X f(X) & \text{for } Y > 0. \end{cases}$$

Model:

If Y_{iI} is the number of storage units used by transmission Line i , the number of units used by all N_I lines is Z_{NI} , where

$$Z_{NI} = Y_{1I} + Y_{2I} + \dots + Y_{NI}. \quad \text{Then } E[Z_{NI}] = N_I p_I (E[X^2]/E[X])$$

and

$$\sigma_{Z_{NI}}^2 = N_I p_I (E[X^3]/E[X]) - E[Z_{NI}]^2 / N_I.$$

The amount of buffer storage required is Z_{NI}^* , for

$$Z_{NI}^* = E[Z_{NI}] + h \cdot \sigma_{Z_{NI}},$$

where h is chosen to permit overflow the specified percent of the total time.

at the outset, either through systems analysis [22b] or a meaningful statement of system objectives by the organization management [16]. Mathematical models [24, 66] and computer programs [29] have been developed to evaluate various equipment alternatives, given specifications of the system requirements. For example, in [66] requirements and design configurations are specified as the element details of vectors. Measures are then defined on the vector spaces which provide indices for the evaluation of data processing system alternatives. However, as Hitch [16a] argues, in most instances management is unable to state objectives for an information system in the degree of detail required by the systems designer. Thus to provide effective total systems design, the analyst must possess the capability for evaluating management's information requirements as well as alternative approaches for data processing. Too many case histories can be cited where a good data processing system was supporting a poor management information system. With this fact in mind, we turn our attention to proposed models of total systems.

3. Mathematical Analysis for Total Systems Design

Boyd and Krasnow [6] effectively argue against "clerical" cost displacement as the sole criterion for evaluating the data processing activity in management information systems. For example, the "timeliness" of management information is often a critical economic consideration; data processing delays result in information delays for decision-making [38] and control [33] with corresponding deterioration in management's performance. The precise translation into economic terms of the consequences of "intangible" factors in a system configuration is the most difficult

problem facing the designer of total information systems for management. Marschak [54, 55], Radner [61, 62] and others [37, 70] have attempted to deal with this issue by developing a formal theory on "information economics" for business system design, and other authors [17, 19, 67, 68] have shown comparable concern for non-business environments, such as military intelligence organizations.

Another problem of similar magnitude facing the designer of total information systems is his analytical facility to be able to deal with the extremely complex structure of large systems [26, 44, 45]. That is, even if one assumes that all of the information-economic relationships are well defined, the issue still remains of whether or not the many faceted components within the systems design can be analyzed as an entity. One approach to the complexity problem has been to develop the design sequentially over time [69]. For example, following the Homer-Liberman [32, 46] description of organization data flows in terms of matrix models, one might extend the model to include constraints on information requirements, and finally a criterion function based on operating costs. Henderson [28], presents one such formulation of the total systems design problem as an integer linear programming model. The difficulty in this analysis is the eventual size of the model, and in Henderson's case, the absence today of computationally efficient integer programming computer codes to provide a general solution.

This does not mean that attempts to optimize the design of total information systems are necessarily doomed to failure. For example, in [39] an empirical study is reported in which optimal information systems are obtained for an idealization of an aggregate production planning system.


Operations research provides the methodology for a quadratic programming formulation of operating cost criteria and obtaining a system of production decision rules. Information data processing alternatives are then evaluated relative to their effect on the control-decision rule system performance. Although the study represents only a first approximation to the general design problem, it does serve to illustrate that optimal or near - optimal solutions are feasible in certain organizational contexts.

The principal analytical alternative to total optimization models is simulation. While the preceding discussions show that normative mathematical analysis can considerably assist in the specification of various aspects in the systems design, the present state of the art suggests that simulation becomes the only modeling alternative when all of the complexities of the system are considered simultaneously. For example, the complication that organizations consist of humans who effect and are affected by informationsystems and design alternatives appears capable of analysis only through simulation, [5]. (Excerpts from Bonini's simulation model are presented in Figures 6 and 7). The shortcoming of much of the simulation literature, however, is that researchers often solicit the simulation model too early in their analysis. That is, the mathematics of operations research can provide the detailed specifications necessary at each stage in the process of designing management information systems. It is principally at the final stages of design, when all the system components must be evaluated collectively, that simulation often provides a true comparative advantage for analysis.

Figure 6

EXCERPT FROM SIMULATION MODEL OF TOTAL SYSTEM: PART 1

"Flow Chart of Decisions Made at Various Levels in the Firm Model"*




*Source: C. P. Bonini, Simulation of Information and Decision Systems in the Firm, (Prentice-Hall, 1963), p. 31.

Figure 7

EXCERPT FROM SIMULATION MODEL OF TOTAL SYSTEM: PART 2

"Flow Chart-Determination of the Over-all Company Plan"*



* Source: C. P. Bonini, *ibid*, p. 43.

4. Conclusions

This review was based on an updating of an earlier literature survey reported in [36]. In the course of the discussion we found that many of the techniques of operations research have been employed to advantage at various stages in the process of designing management information systems. More specifically, the existence of comprehensive data banks within organizations provides a major opportunity for the application of operations research models to the normative analysis of decision, data processing, and control functions and a corresponding opportunity to improve operating performance.

An organization can realize the full economic potential of advanced data processing techniques and comprehensive data files only through the careful exploitation of these resources in the design of their management information system. Operations research provides a natural framework for the analysis and specification of management decision-making and control processes in information system design. The close coordination of operations research and data systems activities within modern business firms is, therefore, a practical necessity today.

Bibliography

1. R. L. Ackoff, "Toward a Behavioral Theory of Communication", Management Science (April 1958), pp. 218-234.
2. F. R. Baldwin, W. B. Gibson and C. B. Poland, "A Multiprocessing Approach to a Large Computer System", IBM Systems Journal (Vol. 1, Sept., 1962), p. 64-74.
3. M. Beckmann, "Decision and Team Problems in Airline Reservations", Econometrica (1958) pp. 134-145.
4. A. Binder and B. R. Wolin, "Information Models and Their Uses", Psychometrika (March 1964), pp. 29-54.
5. C. P. Bonini, Simulation of Information and Decision Systems in the Firm (Prentice-Hall, 1963).
6. D. F. Boyd and H. S. Krasnow, "The Economic Evaluation of Management Information Systems", IBM Systems Journal (March 1963), pp. 2-23.
7. W. Bucholz, "File Organization and Addressing", IBM Systems Journal (Vol. 2, June 1963), p. 86-111.
8. W. G. Carter, "Mathematical Analysis of Merge-Sorting Techniques", Proceedings of International IFIP Congress 1962 (Spartan Books, 1963), p. 62-66.
9. W. Chang and D. J. Wong, "Computer Channel Interference Analysis", IBM Systems Journal (4, 2; 1965), pp. 162-170.
10. F. L. Church, "Requirements Generation, Explosions, and Bills of Material," IBM Systems Journal (Vol 2, Sept.-Dec., 1963), p. 268-287.
11. Richard H. Day, "On Optimal Extracting from a Multiple File Data Storage System: An Application of Integer Programming", Operations Research (May-June 1965) pp. 482-493.
12. I. Delgalris and G. Davison, "Storage Requirements for a Data Exchange", IBM Systems Journal (3, 1; 1964), p. 2-13.
13. J. B. Dennis, "Segmentation and the Design of Multiprogrammed Computer Systems," Journal of the ACM (Vol. 12, Oct. 1965), p. 589-602.
14. L. B. Doyle, "Programmed Interpretation of Text As a Basis for Information Retrieval Systems", Proceedings of 1959 Western Joint Computer Conference (IRE, 1959), pp. 60-63 [also, System Development Corporation Report, SP-55; Santa Monica, Cal.; 1959].
15. B. J. Dzurbak and C. R. Warburton, "The Organization of Structured Files", Communications of the A.C.M. (Vol. 8: July 1965), p. 446-452.

16. D. P. Eckman (ed.), Systems: Research and Design (John Wiley, 1961),
(a.) C. J. Hitch, "On the Choice of Objectives in Systems Studies,"
Ch. 3:
(b.) E. A. Johnson, "The Use of Operations Research in the Study
of Very Large Systems", Chapter 4.
17. W. Edwards and L. D. Phillips, "Man as a Transducer for Probabilities in
Bayesian Command and Control Systems", Chapter 18 in M. W. Shelly, II
and G. L. Bryan, Human Judgments and Optimality (J. Wiley 1964).
18. K. R. Elderedge, F. J. Kamphoefner, and P. H. Wendt, "Automatic Input
for Business Data Processing Systems," Proceedings of the Eastern Joint
Computer Conference (December 10-12, 1956), p. 69-73.
19. I. M. Garfunkel and J. E. Walsh, "Method for First-Stage Evaluation of
Complex Man-Machine Systems", Naval Research Logistics Quarterly
(March 1960), p. 13-19.
20. A. J. Goldman (et al), "Mathematical Research Related to Information
Selection Systems", NBS Report 6883, AD-262882, (June 1961) U. S.
Department of Commerce, National Bureau of Standards, Washington
25, D. C.
21. J. S. Griffin, Jr., J. H. King, Jr., and C. J. Tunis, "A Pattern
Identification System Using Linear Decision Functions", IBM Systems
Journal (2, September-December; 1963 , p. 248-267.
22. F. Harary, "On the Consistency of Precedence Matrices", Journal of the
Association for Computing Machinery (Vol. 8: July 1960), p. 255-259.
- 22b. V. C. Hare, Jr., "Systems Analysis", Chapter 5, p. 123-158, in D. B.
Hertz and R. T. Eddison (eds.), Progress in Operations Research, Vol. II,
(John Wiley and Sons, 1964).
23. B. Harris, A. Hauptschein, and L. S. Schwartz, "Optimum Information
Acquisition Systems", Operations Research (July-Aug. 1958), pp. 416-529.
24. R. M. Hayes, "Mathematical Models for Information Systems and a Calculus
of Operations", Report R-451 (October 27, 1961), Magnavox Research
Labs, Torrance, Cal.
25. R. M. Hayes, "Mathematical Models in Information Retrieval", in P. L.
Garvin (ed.), Natural Language and the Computer (McGraw-Hill Book Co.,
1963), pp. 268-309.
26. R. M. Hayes, Mathematics of Information Systems (J. Wiley, in preparation).
27. W. P. Helsing, "Note on Random Addressing Techniques", IBM Systems
Journal (2, June, 1963), p. 112-116.
28. P. B. Henderson, Jr., "A Theory of Data Systems for Economic Decisions",
Ph.D. Thesis, Department of Economics, Massachusetts Institute of
Technology, Cambridge, Mass., (June 1960).

29. D. J. Herman and F. C. Ihrer, "The Use of a Computer to Evaluate Computers", Proc. 1964 Spring Joint Computer Conference (AFIPS), (Spartan Books 1964), pp. 383-395.
- 29b. G. J. Hess and R. W. Kirkland, "Automation's New Challenge--linking process computers to business direction," Iron and Steel Engineer (March 1964), p. 133-143.
30. J. R. Hillegas, A. C. Nester, J. A. Gosden, and R. L. Sisson, "Generalized Measures of Computer System Performance", Digest of Technical Papers, ACM National Conference, (September 1962), ACM, New York.
31. S. A. Hoffman, "Data Structures that Generalize Rectangular Arrays", Proceedings of the Spring Joint Computer Conference 1962 (Spartan Books), p. 325 ff.
32. E. D. Homer, "A Generalized Model for Analyzing Management Information Systems", Management Science (July 1962), pp. 500-515.
33. J. Kagdis and M. R. Lockner, "A Management Control Systems Simulation Model", Management Technology (December 1963), pp. 145-159.
34. L. Kleinrock, "Analysis of a Time-Shared Processor", Naval Research Logistics Quarterly (March 1964), pp. 59-74.
35. C. F. Kossack, "Statistical Classification Techniques", IBM Systems Journal (Vol. 2, June 1963), p. 136-151.
36. C. H. Kriebel, "On Normative Mathematical Models of Information Systems," Paper presented at the 1963 American International Meeting of the Institute of Management Science (New York City, September 12-13, 1963).
37. C. H. Kriebel, "Optimum Design of Production Decision and Information Systems", Ph.D. Thesis, A. P. Sloan School of Management, Massachusetts Institute of Technology, Cambridge, Mass. (June 1964).
38. C. H. Kriebel, "Team Decision Models of an Inventory Supply Organization", Naval Research Logistics Quarterly (June 1965), p. 139-154.
39. C. H. Kriebel, "Information Processing and Programmed Decision Systems", Management Sciences Research Report No. 69, Carnegie Institute of Technology, Pittsburgh, Pennsylvania (April 1966).
40. G. K. Krulee, "Information Theory and Man-Machine Systems," Operations Research (Aug. 1954), p. 320-328.
41. B. Langefors, "Information Retrieval in File Processing I", [Nordish Journal of Information Processing] BIT 1 (1961), p. 54-63.
42. B. Langefors, "Information Retrieval in File Processing II" BIT 1 (1961), p. 103-112.

43. B. Langefors, "Computation of Parts Requirements for Production Scheduling." BIT 2 (1962), p. 91-111.
44. B. Langefors, "Some Approaches to the Theory of Information Systems" BIT 3 (1963), p. 229-254.
45. B. Langefors, "Theoretical Analysis of Information Systems", Department for Systems Development, Computer Division, Svenska Aeroplan Aktiebolaget (Saab), Sweden (ZNX-530814; Spring 1964).
- 45b. M. A. Leibowitz, "An Approximate Method for Treating a Class of Multiqueue Problems", IBM Journal of Research and Development (1961, No. 3), p. 204-209.
46. I. Liberman, "A Mathematical Model for Integrated Data Systems", Management Science (July 1956), pp. 327-336.
47. P. G. Loewner, "Fabrication and Assembly Operations Part III: Matrix Methods for Processing Configuration Data", IBM Systems Journal (4, 2; 1965) p. 105-121.
48. L. A. Lombardi, "Theory of Files", Proceedings of the 1960 Eastern Joint Computer Conference (Spartan Books), p. 137-141.
49. L. A. Lombardi, "A Direct Method for the Computation of Waiting Times," Naval Research Logistics Quarterly (1961), p. 193-197.
50. L. A. Lombardi, "Mathematical Structure of Nonarithmetic Data Processing Procedures", Journal of the ACM (Vol. 5, 1962), p. 136-159.
51. L. A. Lombardi, "On Table-Operating Algorithms," Proceedings of the IFIP Congress, 1962 (North-Holland Publishing Co., Amsterdam), p. 230-32.
52. L. A. Lombardi, "A General Business-Oriented Language Based on Decision Expressions", Communications of the ACM (Vol. 7, Feb. 1964), p. 104-111.
53. M. E. Maron and J. L. Kuhns, "On Relevance, Probabilistic Indexing, and Information Retrieval", Journal of the ACM (1960), pp. 216-244.
54. J. Marschak, "Elements for a Theory of Teams", Management Science (Jan. 1955), pp. 127-137.
55. J. Marschak, "Towards an Economic Theory of Organization and Information", Chapter XIV in R. M. Thrall, C. H. Coombs, and R. L. Davis (eds.), Decision Processes (J. Wiley 1964), pp. 187-220.
56. John McCabe, "On Serial Files with Relocatable Records", Operations Research (July-Aug. 1965), pp. 609-618.
57. J. F. McCloskey and J. M. Coppingier (eds.), Operations Research for Management, Vol. II. (Johns Hopkins University Press, 1961), "Part 3: Information Handling in Organized Groups", pp. 417-537.
58. M. V. Menon, "On a Problem Concerning a Central Storage Device Served by Multiple Terminals", Journal of the ACM (Vol. 12, July 1965) p. 350-355.

59. M. Minsky, "A Selected Descriptor-Indexed Bibliography to the Literature on Artificial Intelligence", Part 4, pp. 453-524, in E. A. Feigenbaum and J. Feldman (eds.), Computers and Thought (McGraw-Hill Book Co., 1963).
60. W. W. Peterson, "Addressing for Random-Access Storage", IBM Journal of Research and Development (April 1957), p. 130 ff.
61. R. Radner, "The Evaluation of Information in Organizations", in J. Neyman (eds.), Proceedings of Fourth Berkeley Symposium on Mathematical Statistics and Probability, Vol. I (University of California Press, 1961), pp. 497-533.
62. R. Radner, "Team Decision Problems", Annals of Mathematical Statistics (Sept 1962) pp. 857-881.
63. H. Sackman and J. B. Munson, "Investigation of Computer Operating Time and System Capacity for Man-Machine Digital Systems", Journal of the ACM (Vol. 11, Oct. 1964), p. 450-464.
64. A. L. Scherr, "An Analysis of Time-Shared Computer Systems", MAC-TR-18 (Thesis), Project Mac, Massachusetts Institute of Technology (June 1965), 178 + X pages.
65. B. W. Smith, "Symbolic Notation for Statistical Tables and an Approach Towards Automatic System Design", Communications of the ACM (Vol. 8, July 1965) p. 355-360.
66. A. Taylor, J. R. Hillegass, and N. Statland, "Final Report: Quantitative Methods for Information Processing Systems Evaluation", Technical Documentary Report No. ESD-TDR-64-194, (AF Contract No. AF 19 (628)-2838) the AUERBACH Corporation, Philadelphia 3, Pa. [Defense Documentation Center, Department of Commerce, Washington, D. C.]
67. R. M. Thrall, C. H. Coombs, and W. Caldwell, "Linear Model for Evaluating Complex Systems", Naval Research Logistics Quarterly (December 1958), pp. 347-361.
68. R. M. Thrall, W. V. Caldwell, C. H. Coombs, and M. S. Schoeffler, "A Model for Evaluating the Output of Intelligence Systems", Naval Research Logistics Quarterly (March 1961), pp. 25-40.
69. V. P. Turnburke, Jr., "Sequential Data Processing Design", IBM Systems Journal (Vol. 2, March 1963), p. 37-48.
70. H. M. Wagner, "Statistical Decision Theory as Method for Information Processing", Journal of Industrial Engineering (Jan-Feb 1959), pp. 25ff.
71. P. D. Welch, "On the Reliability of Polymorphic Systems", IBM Systems Journal (Vol. 4, No. 1, 1965), p. 43-52.
72. J. H. Williams, Jr., "A Discriminant Method for Automatically Classifying Documents", Proceedings 1963 Fall Joint Computer Conference, (AFIPS) Las Vegas, Nevada, (Spartan Books, 1964), pp. 161-166.

73. W. K. Winters, "A Modified Method of Latent Class-Analysis for File Organization in Information Retrieval", Journal of the ACM (Vol. 12, July 1965), p. 356-363.
74. J. W. Young, Jr. and H. K. Kent, "Abstract Formulation of Data Processing Problems", Journal of Industrial Engineering (Nov-Dec. 1958), pp. 471-479.

DOCUMENT CONTROL DATA - R&D

(Security classification of title, body of abstract and indexing annotation must be entered when the overall report is classified)

1. ORIGINATING ACTIVITY (Corporate author) Graduate School of Industrial Administration Carnegie Institute of Technology		2a. REPORT SECURITY CLASSIFICATION Unclassified	
		2b. GROUP Not applicable	
3. REPORT TITLE OPERATIONS RESEARCH IN THE DESIGN OF MANAGEMENT INFORMATION SYSTEMS			
4. DESCRIPTIVE NOTES (Type of report and inclusive dates) Technical Report,			
5. AUTHOR(S) (Last name, first name, initial) Kriebel, Charles H.			
6. REPORT DATE April, 1966		7a. TOTAL NO. OF PAGES 25	7b. NO. OF REFS 77
8a. CONTRACT OR GRANT NO. NONR 760(24)		8a. ORIGINATOR'S REPORT NUMBER(S) Management Sciences Research Report No. 73	
b. PROJECT NO. NR 047-048		8b. OTHER REPORT NO(S) (Any other numbers that may be assigned this report) None	
10. AVAILABILITY/LIMITATION NOTICES Distribution of this document is unlimited			
11. SUPPLEMENTARY NOTES None		12. SPONSORING MILITARY ACTIVITY Logistics and Mathematical Statistics Branch Office of Naval Research Washington, D. C. 20360	
13. ABSTRACT The design of management information systems is concerned with the identification and detailed specification of the information and data processing resources required by an organization for decision-making and control. This paper surveys a representative selection of the literature on management information systems in which mathematical models are employed as the basis for analysis and systems design. Operations research provides a natural framework for the specification of management decision-making and control processes in information system designs. To realize the full economic potential of advanced data processing techniques in management information systems today, the close coordination of operations research and data systems activities has become a practical necessity for the modern business firm.			

Security Classification

14. KEY WORDS	LINK A		LINK B		LINK C	
	ROLE	WT	ROLE	WT	ROLE	WT
mathematical models management information systems computer based data processing systems design bibliography and survey						

INSTRUCTIONS

1. **ORIGINATING ACTIVITY:** Enter the name and address of the contractor, subcontractor, grantee, Department of Defense activity or other organization (*corporate author*) issuing the report.

2a. **REPORT SECURITY CLASSIFICATION:** Enter the overall security classification of the report. Indicate whether "Restricted Data" is included. Marking is to be in accordance with appropriate security regulations.

2b. **GROUP:** Automatic downgrading is specified in DoD Directive 5200.10 and Armed Forces Industrial Manual. Enter the group number. Also, when applicable, show that optional markings have been used for Group 3 and Group 4 as authorized.

3. **REPORT TITLE:** Enter the complete report title in all capital letters. Titles in all cases should be unclassified. If a meaningful title cannot be selected without classification, show title classification in all capitals in parenthesis immediately following the title.

4. **DESCRIPTIVE NOTES:** If appropriate, enter the type of report, e.g., interim, progress, summary, annual, or final. Give the inclusive dates when a specific reporting period is covered.

5. **AUTHOR(S):** Enter the name(s) of author(s) as shown on or in the report. Enter last name, first name, middle initial. If military, show rank and branch of service. The name of the principal author is an absolute minimum requirement.

6. **REPORT DATE:** Enter the date of the report as day, month, year; or month, year. If more than one date appears on the report, use date of publication.

7a. **TOTAL NUMBER OF PAGES:** The total page count should follow normal pagination procedures, i.e., enter the number of pages containing information.

7b. **NUMBER OF REFERENCES:** Enter the total number of references cited in the report.

8a. **CONTRACT OR GRANT NUMBER:** If appropriate, enter the applicable number of the contract or grant under which the report was written.

8b, 8c, & 8d. **PROJECT NUMBER:** Enter the appropriate military department identification, such as project number, subproject number, system numbers, task number, etc.

9a. **ORIGINATOR'S REPORT NUMBER(S):** Enter the official report number by which the document will be identified and controlled by the originating activity. This number must be unique to this report.

9b. **OTHER REPORT NUMBER(S):** If the report has been assigned any other report numbers (either by the originator or by the sponsor), also enter this number(s).

10. **AVAILABILITY/LIMITATION NOTICES:** Enter any limitations on further dissemination of the report, other than those

imposed by security classification, using standard statements such as:

- (1) "Qualified requesters may obtain copies of this report from DDC."
- (2) "Foreign announcement and dissemination of this report by DDC is not authorized."
- (3) "U. S. Government agencies may obtain copies of this report directly from DDC. Other qualified DDC users shall request through _____."
- (4) "U. S. military agencies may obtain copies of this report directly from DDC. Other qualified users shall request through _____."
- (5) "All distribution of this report is controlled. Qualified DDC users shall request through _____."

If the report has been furnished to the Office of Technical Services, Department of Commerce, for sale to the public, indicate this fact and enter the price, if known.

11. **SUPPLEMENTARY NOTES:** Use for additional explanatory notes.

12. **SPONSORING MILITARY ACTIVITY:** Enter the name of the departmental project office or laboratory sponsoring (paying for) the research and development. Include address.

13. **ABSTRACT:** Enter an abstract giving a brief and factual summary of the document indicative of the report, even though it may also appear elsewhere in the body of the technical report. If additional space is required, a continuation sheet shall be attached.

It is highly desirable that the abstract of classified reports be unclassified. Each paragraph of the abstract shall end with an indication of the military security classification of the information in the paragraph, represented as (TS), (S), (C), or (U).

There is no limitation on the length of the abstract. However, the suggested length is from 150 to 225 words.

14. **KEY WORDS:** Key words are technically meaningful terms or short phrases that characterize a report and may be used as index entries for cataloging the report. Key words must be selected so that no security classification is required. Identifiers, such as equipment model designation, trade name, military project code name, geographic location, may be used as key words but will be followed by an indication of technical context. The assignment of links, roles, and weights is optional.